

About OMICS Group

OMICS Group International is an amalgamation of Open Access publications and worldwide international science conferences and events. Established in the year 2007 with the sole aim of making the information on Sciences and technology 'Open Access', OMICS Group publishes 400 online open access scholarly journals in all aspects of Science, Engineering, Management and Technology journals. OMICS Group has been instrumental in taking the knowledge on Science & technology to the doorsteps of ordinary men and women. Research Scholars, Students, Libraries, Educational Institutions, Research centers and the industry are main stakeholders that benefitted greatly from this knowledge dissemination. OMICS Group also organizes 300 International conferences annually across the globe, where knowledge transfer takes place through debates, round table discussions, poster presentations, workshops, symposia and exhibitions.

About OMICS Group Conferences

OMICS Group International is a pioneer and leading science event organizer, which publishes around 400 open access journals and conducts over 300 Medical, Clinical, Engineering, Life Sciences, Pharma scientific conferences all over the globe annually with the support of more than 1000 scientific associations and 30,000 editorial board members and 3.5 million followers to its credit.

OMICS Group has organized 500 conferences, workshops and national symposiums across the major cities including San Francisco, Las Vegas, San Antonio, Omaha, Orlando, Raleigh, Santa Clara, Chicago, Philadelphia, Baltimore, United Kingdom, Valencia, Dubai, Beijing, Hyderabad, Bengaluru and Mumbai.

Bio-Fuels Combustion Research

An Integrative Approach

**with a Focus on
The Research Program at the
School of Aerospace and Mechanical Engineering
The University of Oklahoma**

Presented by

S. R. Gollahalli

Professor and Lesch Centennial Chair

Why Alternative Fuels?


- Global Climate Change
- Energy Independence
- Oil is a Limited Resource



Where We Need Alternatives?

- Transportation Sector
 - Largest Consumer of Petroleum
 - Fastest Growth in Consumption of Petroleum

US Petroleum Consumption by Sector



Biofuels: Best Option Currently

- Little Modification
 - Vehicle
 - Current Storage
 - Infrastructure
- Renewable
- Carbon Neutral
- Low Cost



Biofuels

- Fuels obtained from non-fossil sources.
- Fastest growing alternative energy source in the US* and Europe**
 - First generation – Sugars and vegetable oils
 - Second generation – Non-food (biomass)

*The National Biodiesel Board

**European Biodiesel Board

• Third-generation – Algae




Current techniques


Black Box approach

Input:

- Liquid or Gas Fuel



Engine/
Combustor
Test



Output:

- Pollutant Emissions
- Particulate Matter
- Cetane Number
- Octane Number,
- BHP, etc.

- require large amounts of fuel and time
- require various testing methods to measure outputs

Laboratories

Combustion and Flame Dynamics Lab

Internal Combustion Engines Lab

Aero-Propulsion Lab

Fire Research Lab



Focus

**To Understand Fundamental
Thermochemical Processes in Bio-
fuel Combustion relative to
Petroleum fuel-Combustion in
Different Combustors**



An Integrative Technical Approach

**Level A: Laminar flame studies-Chemistry
Effects only**

**Level B: Spray and Turbulent Flames-
Controlled understanding of Fluid
Mechanics as well Atomization and Phase
change effects in addition to Chemistry
Effects**

**Level C: Engine Studies-Practical (Design-
Operating Conditions-separately and
combined)-Diesel Engines and Gas
Turbines**



Technical Approach (Cont'

- **Level D: Novel Burner Development
(Porous Media Burners)**
- **Level E: Fire-Safety and Handling
(Pool Fires)**



A. Laminar Flame Studies

Method for the Rapid Characterization of Combustion Properties of Liquid Fuels Using a Tubular Burner


Why do we need to develop the technique?

New fuels created in a lab are supplied in small amounts and cannot be run in an engine

Several variables are involved in the internal combustion engine. We want to study the properties attributable to fuel chemical structure.



Experimental Set-up



Flame Images



Methane



Pentane*



CME*

**0.82 cm³/min liquid fuel flowrate*

Radiation

- Radiative Heat Fraction

$$F = \frac{q''_{rad} (4\pi L^2)}{LHV_{fuel} (m_{fuel})}$$


q''_{rad} = Radiative heat flux incident on radiometer

L = Radiometer distance from flame

LHV_{fuel} = Lower Heating Value of fuel

m_{fuel} = Mass of fuel injected

Radiation Results



Emissions

$$EI_i = \frac{x_i}{(x_{CO_2} + x_{CO})} \cdot \left(\frac{X \cdot MW_i}{MW_f} \right)$$

x_i = molar concentration of species

x_{CO_2} = molar concentration of carbon dioxide

x_{CO} = molar concentration of carbon monoxide


X = number of carbon atoms

MW_i = molecular weight of species


MW_f = molecular weight of liquid fuel




NO Emissions Results




CO Emissions




Laser Diagnostics Setup (OH)




Results – Visible Flame



OH Concentration



CH Radicals



$\Phi = 3$

$\Phi = 7$

The maximum intensity detected was used to normalize all other detected values.


B. Spray Studies

- Atomization
- Combustion

Experimental Apparatus


- **Steel combustion chamber with windows**
 - **0.76 x 0.76 x 1.2 (m)**

- **High temperature air heater supplies co-flow of air**
 - **Simulates temperature at the end of compression stroke in a diesel engine**




Instrumentation

- Aerometrics Phase Doppler Particle Analyzer
- Measurements of axial velocity and droplet diameter




Spray Flames - SMD Radial Profiles


0.5 cm




2 cm







1 cm



3 cm




In-Flame Species Concentration



C1. Diesel Engine Studies

- Performance
- Emissions


Apparatus




Single Cylinder Diesel Engine

- 17 in³ displacement
- 3000 rpm, 5 hp, air-cooled, direct injection


Raw Vegetable Oils



Raw Vegetable Oils




Effect of Injection Timing on Pressure-Crank Angle Diagram (CME B100)




C2. Gas Turbine Engine

Aero-Propulsion Lab


- **Turbine Technologies -SR-30 Gas Turbine**
- **30 kW**
- **Single-stage centrifugal turbine compressor (pressure ratio 2.5), single-stage axial flow turbine, annular combustor**
- **Heavy fuels (jet fuels, kerosene, diesel, biodiesel)**
- **6.8 inch diameter, 10.8 inches long**
- **Air mass flow rate: 1.1 lbm/s**
- **Maximum thrust: 40 lbf**
- **Mid-thrust TSFC: 1.2 lbm/hr lbf (mid-thrust)**
- **Maximum 87,000 RPM**
- **Maximum turbine inlet temperature of 870°C**
- **Maximum exhaust gas temperature of 720°C**
- **Operate at an ambient air temperature between 0°C and 41°C (32°F-106°F).**
- **Pressures and temperatures at different engine locations, fuel flow rate, thrust, RPM, and oil, fuel, and air supply pressures recorded**



Experimental Results





Experimental Results




D. Novel Burners

Porous Media Media Burners

- ✓ APPLICATIONS HAVE BEEN REALIZED AND ARE BEING DEVELOPED
- ✓ HOUSEHOLD AND AIR HEATING SYSTEMS
- ✓ GAS TURBINE COMBUSTION CHAMBERS
- ✓ STEAM GENERATORS




TEST SECTION




FLAME LIFT-OFF AND EXTINCTION LIMITS



Lift-off



Extinction




- ✓ INCOMPLETE FUEL VAPORIZATION
- ✓ HIGHER HEAT FEEDBACK FOR BIODIESEL
- ✓ PERIASAMY AND GOLLAHALLI (2007)

RADIATION FRACTION

$$F = \frac{4\pi l^2 R}{\dot{m} \text{ LHV}_{fuel}}$$

\dot{m} (kg/s)
 LHV (J/kg)
 l (m)
 R (W/m²)

✓ BRZUSTOWSKI (1975)
 ✓ LOVE ET AL. (2009)



EMISSION INDEX OF NO


$$EI_{NO} = \left(\frac{X_{NO}}{X_{CO} + X_{CO_2}} \right) \cdot \left(\frac{x \cdot MW_{NO}}{MW_F} \right)$$

X= MOL FRACTION OF POLLUTANT

x= # OF CARBON ATOMS



MW= MOLECULAR WEIGHT

- ✓ TURNS, 2000
- ✓ LOVE ET AL (2009)
- ✓ JUGJAI AND PJOTHIYA (2006)
- ✓ N₂O INTERMEDIATE MECHANISM





INFRARED IMAGES

✓ SME



✓ JET-A



E. Biofuel Fire Research


- Handling, Transportation, and Safety of Biofuels not Understood
- Existing Literature limited to Petroleum Pool Fires.
- Flash and Fire Points data are scanty.
- Flammability, Ignition, and Extinction are Characteristics not known.





Setup





Flame Appearance (CME Blends)



CO Emission Index



NO Emission Index



THANK YOU

